

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims of this Patent Application.

LISTING OF CLAIMS:

Claim 1. (Currently Amended) A liquid crystal polymer composition comprising 100 parts by weight of a liquid crystal polymer (A) and 5-100 parts by weight of a plate-shaped filler (B) ~~satisfying~~ wherein the plate-shaped filler satisfies the following formulae (1) and (2) and ~~having~~ has an average particle diameter of 0.5-100 μ m.

$$D/W \leq 5 \quad (1)$$

$$3 \leq W/H \leq 200 \quad (2)$$

wherein D is the maximum particle diameter of the plate-shaped filler (B), and the direction of the diameter D is defined as x; W is a particle's diameter which is in the direction y at the right angle to the direction x; and H is a thickness of the particle in the direction of z which is vertical to the xy-plane.

Claim 2. (Original) The composition according to claim 1, wherein 5-100 parts by weight of a fibrous filler (C) having an average fiber diameter of 5-20 μ m and an average aspect ratio of at least 15 are further compounded therewith to 100 parts by weight of the liquid crystal polymer (A).

Claim 3. (Previously Presented) The composition according to claim 1, wherein the plate-shaped filler (B) consists of at least one substance selected from talc, mica, kaolin and graphite.

Claim 4. (Previously Presented) The composition according to claim 2, wherein the fibrous filler (C) is glass fiber.

Claim 5. (Previously Presented) The composition according to claim 1, wherein the liquid crystal polymer (A) is a polyester amide.

Claim 6. (Previously Presented) A connector which is manufactured from the composition according to claim 1.

Claim 7. (Previously Presented) The composition according to claim 2, wherein the plate-shaped filler (B) consists of at least one substance selected from talc, mica, kaolin and graphite.

Claim 8. (Previously Presented) The composition according to claim 3, wherein the fibrous filler (C) is glass fiber.

Claim 9. (Previously Presented) The composition according to claim 7, wherein the fibrous filler (C) is glass fiber.

Claim 10. (Previously Presented) The composition according to claim 2, wherein the liquid crystal polymer (A) is a polyester amide.

Claim 11. (Previously Presented) The composition according to claim 3, wherein the liquid crystal polymer (A) is a polyester amide.

Claim 12. (Previously Presented) The composition according to claim 4, wherein the liquid crystal polymer (A) is a polyester amide.

Claim 13. (Previously Presented) The composition according to claim 7, wherein the liquid crystal polymer (A) is a polyester amide.

Claim 14. (Previously Presented) The composition according to claim 8, wherein the liquid crystal polymer (A) is a polyester amide.

Claim 15. (Previously Presented) The composition according to claim 9, wherein the liquid crystal polymer (A) is a polyester amide.

Claim 16. (Previously Presented) A connector which is manufactured from the composition according to claim 2.

Claim 17. (Previously Presented) A connector which is manufactured from the composition according to claim 3.

Claim 18. (Previously Presented) A connector which is manufactured from the composition according to claim 4.

Claim 19. (Canceled)

Claim 20. (Previously Presented) A connector which is manufactured from the composition according to claim 7.

Claim 21. (New) The composition according to claim 1, wherein the plate-shaped filler (B) satisfies a D/W of formula (1) of ≤ 2.4 , and satisfies W/H of formula (2) of 3 to 42.